

# IKONNI

## Milled Panels

### **Standard Finishes-**

Walnut, Oak, Teak, Birch, Ebony, and other wood veneers upon request

### **Available Finished or Unfinished**

---

Support/core - Rigid MDF, or  
TNT (non-woven fabric backing)

**No Support** - 3/16" Thickness

**With Support** - 12/16" Thickness

---

### **Standard Dimensions -**

120 cm x 300 cm  
( 47 1/4" x 118 1/8" )

---

*Minimum of 4 panels per order*

---

### **Lead time -**

6 weeks production + shipping.  
More styles available - contact us

---

### **IKONNI INC.**

p.917-900-7048

e.info@ikonni.com

6 w 20th street, New York, NY

10011 w.ikonni.com



# IKONINI

## Milled Panels




LONDON P22



TOKYO P4|6|8|12



LISBON P25



OSLO P404|P606



VENICE P8



PARIS S6P13



Wave P12/19






Wave P20



Wave P30



Wave Plus




|   |                    |
|---|--------------------|
| ① | 6 mm               |
|   | Finish thickness   |
| ③ | 15 mm              |
|   | MDF support        |
| ④ | 0,6 mm             |
|   | Balancing          |
| ⑤ | 22 mm              |
|   | Mill spacing       |
| ⑥ | 21 mm              |
|   | Finished thickness |







## PRODUCT OVERVIEW

- Product is provided in panel size: 120 cm x 300 cm ( 47 ¼" x 118 1/8")
- Option for Unfinished, or Finished with a clear acrylic
- Water Resistant MDF core - upon request
- Option for TNT Panel Support (non-woven fabric back), or Rigid MDF

## AVAILABLE WOOD VENEERS





① 6 mm  
Finish thickness

③ 15 mm  
MDF support

④ 0,6 mm  
Balancing


⑤ 4 | 6 | 8 | 12  
Mill spacing



⑥ 21 mm  
Finished thickness

## PRODUCT OVERVIEW

- Product is provided in panel size: 120 cm x 300 cm ( 47 ¼" x 118 1/8")
- Option for Unfinished, or Finished with a clear acrylic
- Water Resistant MDF core - upon request
- Option for TNT Panel Support (non-woven fabric back), or Rigid MDF

## AVAILABLE WOOD VENEERS





① 3 mm  
Finish thickness

③ 15 mm  
MDF support

④ 0,6 mm  
Balancing

⑤ 19 mm  
Mill spacing


⑥ 18,4 mm  
Finished thickness





## PRODUCT OVERVIEW

- Product is provided in panel size: 120 cm x 300 cm ( 47 ¼" x 118 1/8")
- Option for Unfinished, or Finished with a clear acrylic
- Water Resistant MDF core - upon request
- Option for TNT Panel Support (non-woven fabric back), or Rigid MDF

## AVAILABLE WOOD VENEERS





## PRODUCT OVERVIEW

- Product is provided in panel size: 120 cm x 300 cm ( 47 1/4" x 118 1/8")
- Option for Unfinished, or Finished with a clear acrylic
- Water Resistant MDF core - upon request
- Option for TNT Panel Support (non-woven fabric back), or Rigid MDF

① 6 mm  
Finish thickness

③ 15 mm  
MDF support


④ 0,6 mm  
Balancing



⑤ 12 mm  
Oslo P606 Mill Spacing

⑤ 8 mm  
Oslo P404 Mill Spacing

⑥ 21 mm  
Finished thickness

## AVAILABLE WOOD VENEERS





① 6 mm  
Finish thickness

③ 15 mm  
MDF support

④ 0,6 mm  
Balancing

⑤ 8,5 mm  
Mill spacing


⑥ 21 mm  
Finished thickness





## PRODUCT OVERVIEW


- Product is provided in panel size: 120 cm x 300 cm ( 47 ¼" x 118 1/8")
- Option for Unfinished, or Finished with a clear acrylic
- Water Resistant MDF core - upon request
- Option for TNT Panel Support (non-woven fabric back), or Rigid MDF

## AVAILABLE WOOD VENEERS





Rigid Panel







- ① 6 mm  
Finish thickness
- ② 0,5 mm  
Fabric
- ③ 15 mm RIGID SUPPORT  
MDF support
- ③ 5 mm FLEXIBLE SUPPORT  
MDF support
- ④ 0,6 mm  
Balancing
- ⑤ 13 mm  
Mill spacing
- ⑥ 22 mm RIGID PANEL  
Finished thickness
- ⑥ 12 mm FLEXIBLE PANEL  
Finished thickness

## PRODUCT OVERVIEW

- Product is provided in panel size: 120 cm x 300 cm ( 47 ¼" x 118 1/8")
- Option for Unfinished, or Finished with a clear acrylic
- Water Resistant MDF core - upon request
- Option for TNT Panel Support (non-woven fabric back), or Rigid MDF

## AVAILABLE WOOD VENEERS






① 6 mm  
Finish thickness

③ 15 mm  
MDF support

④ 0,6 mm  
Balancing

⑤ 12 | 19 mm  
Mill spacing


⑥ 21 mm  
Finished thickness




## PRODUCT OVERVIEW

- Product is provided in panel size: 120 cm x 300 cm ( 47 ¼" x 118 1/8")
- Option for Unfinished, or Finished with a clear acrylic
- Water Resistant MDF core - upon request
- Option for TNT Panel Support (non-woven fabric back), or Rigid MDF

## AVAILABLE WOOD VENEERS





① 6 mm  
Finish thickness

③ 15 mm  
MDF support

④ 0,6 mm  
Balancing

⑤ 22 mm  
Mill spacing


⑥ 21 mm  
Finished thickness





## PRODUCT OVERVIEW

- Product is provided in panel size: 120 cm x 300 cm ( 47 ¼" x 118 1/8")
- Option for Unfinished, or Finished with a clear acrylic
- Water Resistant MDF core - upon request
- Option for TNT Panel Support (non-woven fabric back), or Rigid MDF

## AVAILABLE WOOD VENEERS






① 6 mm  
Finish thickness

③ 15 mm  
MDF support

④ 0,6 mm  
Balancing

⑤ 30 mm  
Mill spacing


⑥ 21 mm  
Finished thickness





## PRODUCT OVERVIEW

- Product is provided in panel size: 120 cm x 300 cm ( 47 ¼" x 118 1/8")
- Option for Unfinished, or Finished with a clear acrylic
- Water Resistant MDF core - upon request
- Option for TNT Panel Support (non-woven fabric back), or Rigid MDF

## AVAILABLE WOOD VENEERS






① 6 mm  
Finish thickness

③ 15 mm  
MDF support

④ 0,6 mm  
Balancing

⑤ 5/10/11/12/13/16 mm  
Mill spacing


⑥ 21 mm  
Finished thickness



## PRODUCT OVERVIEW

- Product is provided in panel size: 120 cm x 300 cm ( 47 ¼" x 118 1/8")
- Option for Unfinished, or Finished with a clear acrylic
- Water Resistant MDF core - upon request
- Option for TNT Panel Support (non-woven fabric back), or Rigid MDF

## AVAILABLE WOOD VENEERS



# IKONINI

## Maintenance

For daily cleaning, use a soft cloth dampened with water and mild multi-purpose neutral detergents then dry the surface with kitchen paper.

---

Avoid cleaning the surfaces with methylated spirit as it could leave persistent marks once it dries.

---

Avoid cleaning the surface with products containing bleach or which are nonetheless highly basic, as they may leave whitish marks in case of prolonged application.

---

Avoid cleaning the surfaces with abrasive sponges and do not leave the surfaces in contact with steel wool or other metal objects that can contain or release oxidized particles.

